G1	Scheme	Marks	AOs	Pearson Progression Step and Progress descriptor	
a	Linear association between e and f .	B1	1.2	2nd Know and understand the language of correlation and regression.	
		(1)			
b	It requires extropolation and hence it may be unreliable.	B1	1.2	4th Understand the concepts of interpolation and extrapolation.	
		(1)			
c	Fuel consumption (f)	B1	1.2	2nd Know and understand the language of correlation and regression.	
		(1)			
d	A hypothesis test is a statistical test that is used to determine whether there is enough evidence in a <u>sample of data</u> to infer that a certain condition is true for the <u>entire population</u> .	B1	1.2	5th Understand the language of hypothesis testing.	
		(1)			
e	$H_0: \rho = 0, H_1: \rho < 0$ Critical value = -0.3665 $-0.803 < -0.3665$ (test statistic in critical region) Reject H_0 There is evidence that the product moment correlation coeficient for CO_2 emissions and fuel consumption is less than zero.	B1 M1 A1	2.5 1.1b 2.2b	6th Carry out a hypothesis test for zero correlation.	
		(3)			
		•	•	(7 marks)	
	Notes				

G2	Scheme	Marks	AOs	Pearson Progression Step and Progress descriptor
a	0.7 T	B1	2.5	3rd
	$0.33 \qquad N \qquad 0.3 \qquad T' \qquad 0.04 \qquad T$			Draw and use tree diagrams with three branches and/or three levels.
	0.67 N' 0.96 T'			
	Let $N\sim$ new tyre and $T\sim$ tracking	P.4	1 11	
	P(N) = 0.33 and $P(T) = 0.67$	B1	1.1b	
	0.7, 0.3, 0.04 and 0.96	B1	1.1b	
		(3)		
b	P(exactly one defect) = $0.33 \times 0.3 + 0.67 \times 0.04$	M1	3.1b	5th
	= 0.1258	A1	1.1b	Understand the language and notation of conditional probability.
		(2)		
c	$1 - P(\text{no defects}) = 1 - 0.67 \times 0.96 \times 0.65$	M1	3.1b	5th
	= 0.5819 awrt 0.582 (3 d.p.)	A1	1.1b	Understand the language and notation of conditional probability.
		(2)		
d	To have their cars checked regularly as there is over a 50 % chance they need new tyres, tracking or brake pads.	B1	3.2a	5th Understand the language and notation of conditional probability.
		(1)		
				(8 marks)
	Notes			

G3	Scheme	Marks	AOs	Pearson Progression Step and Progress descriptor
a	Bell shaped.	B1	2.2a	5th Understand the basic features of the normal distribution including parameters, shape and notation.
		(1)		
b	$X \sim \text{Daily mean pressure } X \sim \text{N}(1006, 4.4^2)$	M1	3.3	5th Calculate probabilities for the standard normal distribution using a calculator.
	P(X < 1000) = 0.0863	A1	1.1b	
		(2)		
c	A sensible reason. For example, The tails of a Normal distribution are infinite. Cannot rule out extreme events.	B1	2.4	5th Understand the basic features of the normal distribution including parameters, shape and notation.
		(1)		

d	Comparison and sensible comment on means. For example,			8th
	The mean daily mean pressure for Beijing is less than Jacksonville.	B1	2.2b	Solve real-life problems in
	This suggests better weather in Jacksonville. Comparison and sensible comment on standard deviations. For example,	B1	2.2b	context using probability distributions.
	The standard deviation for Beijing is greater than that for Jacksonville.	B1	2.2b	
	This suggests more consistent weather in Jacksonville. Student claim could be correct.	B1	2.2b	
		(4)		

(8 marks)

Notes

ล

Do not accept symmetrical with no discription of the shape.

d

B2 for Suggests better weather in Jacksonville but less consistent.

G4	Scheme	Marks	AOs	Pearson Progression Step and Progress descriptor
a	Linear association between two variables.	B1	1.2	2nd
				Know and understand the language of correlation and regression.
		(1)		
b	Negative correlation.	B1	1.2	2nd
				Know and understand the language of correlation and regression.
		(1)		
c	As daily mean pressure increases (rises) daily mean wind speed decreases (falls) in Hurn May to October in 2015. or As daily mean pressure decreases (falls) daily mean wind speed increases (rises) in Hurn May to October in 2015.	B1	3.2	5th Interpret the PPMC as a measure of correlation.
		(1)		
d	$H_0: \rho = 0, H_1: \rho < 0$	B1	2.5	6th
	p-value $< 0.05There is evidence to reject H_0.$	M1	1.1b	Carry out a hypothesis test for zero correlation.
	There is (strong) evidence of negative correlation between the daily mean wind speed and daily mean pressure.	A1	2.2b	zero correlation.
		(3)		
e	Daily mean wind speed = $180 - 0.170 \times \text{daily mean pressure}$.	B2	1.1b	4th
				Use the principles of bivariate data analysis in the context of the large data set.
		(2)		

f	The regression model suggests for every hPa increase in daily mean pressure the daily mean wind speed decreases by 0.1694 knots. or The regression model suggests for every hPa decrease in daily mean pressure the daily mean wind speed increases by 0.1694 knots.	B1	3.2	4th Use the principles of bivariate data analysis in the context of the large data set.
		(1)		
g	Sensible comment. For example, Not very accurate as very few or no points Not very accurate as near the bottom range for the data.	B1	3.5b	4th Make predictions using the regression line within the range of the data.
		(1)		
			_	(10 marks)
e	Notes			

Pearson Edexcel AS and A level Mathematics

B1 y = 180.0 - 0.1694x unless x and y are defined.

G5	Scheme	Marks	AOs	Pearson Progression Step and Progress descriptor
a	$P(E' F') = \frac{P(E' \cap F')}{P(F')} \text{ or } \frac{0.47}{0.6}$	M1	3.1a	4th Calculate probabilities using
	$= \frac{47}{60} \text{ or } 0.783 \text{ (3 s.f.)}$	A1	1.1b	set notation.
		(2)		
В	$P(E) \times P(F) = 0.25 \times 0.4 = 0.1 \neq P(E \cap F) = 0.12$	M1	2.1	4th
	So, E and F are not statistically independent.	A1	2.4	Understand and use the definition of independence in probability calculations.
		(2)		
c	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	M1A1 M1A1	3.1a 1.1b 1.1b 1.1b	3rd Understand and use Venn diagrams for multiple events.
		(5)		441-
d	$P([F \cup G]') = 0.13 + 0.38$ $= 0.51$	M1 A1	3.1a 1.1b	4th Calculate probabilities using set notation.
		(2)		
		- 1	•	(11 marks)
	Notes			

G6	Scheme	Marks	AOs	Pearson Progression Step and Progress descriptor
	$X \sim B(200, 0.54)$	B1	3.3	7th
	<i>Y</i> ~ N(108, 49.68)	B2	3.1b	Use the normal distribution to
	$P(X > 100) = P(X \ge 101)$	M1	3.4	approximate a binomial
	$= P \left(Z \dots \frac{100.5 - 108}{\sqrt{49.68}} \right)$	M1	1.1b	distribution.
	$= P(Z \geqslant -1.06) = 0.8554$	A1	1.1b	
				(6 marks)

Notes

G7	Scheme	Marks	AOs	Pearson Progression Step and Progress descriptor
	Moment on see-saw is force \times distance from pivot.	M1	1.1a	5th
	Moment on Poppy's see-saw due to Poppy is $pg \times 3 = 3pg$ (N m)	M1	2.2a	Solve equilibrium problems involving
	Force on Bob due to Poppy is $\frac{3pg}{2}$ (N)	A1	2.2a	horizontal bars.
	Force on Bob due to Quentin is $\frac{3qg}{2}$ (N)	A1	2.2a	
	Total force on Bob is $\frac{3}{2}(p+q)g$ (N)	M1	2.2a	
	Weight of Bob is 80g (N)	M1	1.1b	
	Forces are equal so $\frac{3}{2}(p+q)g = 80g$	M1	3.1b	
	p + q = 53 to the nearest whole number.	A1	2.4	
				(8 marks)

G8	Scheme	Marks	AOs	Pearson Progression Step and Progress descriptor
a	Normal reaction Friction Weight			3rd Draw force diagrams.
	B1 for each correct force with correct label.	В3	2.5	
		(3)		
b	Resolve horizontally/vertically or along/perp to plane.	M1	1.1b	7th
	$R = 3g\cos\theta$	A1	1.1b	The concept of
	$F = 3g\sin\theta$	A1	1.1b	limiting equilibrium.
	Limiting equilibrium means $\mu R = F$ $\mu R = 3\mu g \cos \theta$	A1	1.1b	
	$3\mu g\cos\theta = 3g\sin\theta$	M1	1.1b	
	$\mu = \tan \theta$	A1	1.1b	
		(6)		
c	$\tan 30 = 0.577$	A1	3.1a	7th
	For limiting equilibrium, $\mu = 0.577$	M1	3.1a	The concept of
	But $\mu = 0.3$ so less friction.	M1	3.1a	limiting equilibrium.
	Hence the object slips.	A1	3.2a	
		(4)		
d	No object would remain in equilibrium,	B1	3.2a	7th
	because normal reaction becomes zero.	A1		The concept of limiting equilibrium.
		(2)		
				(15 marks)

G9	Scheme	Marks	AOs	Pearson Progression Step and Progress descriptor
	Suvat equation.	M1	3.1a	8th
	$y = 8t\sin 60 - \frac{1}{2}gt^2$	M1	1.1b	Derive formulae for projectile motion.
	$=4\sqrt{3}t-4.9t^2$ (allow awrt 6.9)	A1	1.1b	motion.
	Solve $y = 2$	M1	1.1a	
	t = 0.404 or $t = 1.009$ (accept awrt 0.40 and 1.01)	A2	1.1b	
	Time spent above 2 m is difference.	M1	2.4	
	0.605 (s) (accept awrt 0.61)	A1ft	3.4a	
				(8 marks)
	Notes			

G10	Scheme	Marks	AOs	Pearson Progression Step and Progress descriptor		
a	Resultant force is $\mathbf{A} + \mathbf{B}$	M1	3.1b	5th		
	$=3\mathbf{i}-\mathbf{j}\;(\mathbf{N})$	A1	1.1b	Use Newton's second law to		
	Use of Newton's 2nd Law.	M1	3.1b	model motion in two directions.		
	$\mathbf{a} = \frac{F}{m}$	M1	1.1b			
	$6\mathbf{i} - 2\mathbf{j} \ (\text{m s}^{-2})$	A1	1.1b			
	$\mathbf{s} = \mathbf{s}_0 + \frac{1}{2}\mathbf{a}t^2$	M1	1.1a			
	$=3\mathbf{i}+4\mathbf{j}+\frac{1}{2}(6\mathbf{i}-2\mathbf{j})t^2$	M1	1.1b			
	$x = 3 + 3t^2$	A1	1.1b			
	$y = 4 - t^2$	A1	1.1b			
		(9)				
b	$x = 3 + 3t^2 > 0$ for all $t > 0$	M1	2.4	4th		
	so $x \neq 3$	A1	2.2a	Complete proofs by deduction and direct algebraic methods.		
		(2)				
С	Anything resonable. For example, a ball in a river with wind.	B1	3.5	3rd		
	Descriptions of A and B . For example, A is force due to water. For example, B is force due to wind.	B1	3.5	Understand assumptions common in mathematical modelling.		
		(2)				
	(13 marks)					
	Notes					
b Accept a	any valid argument (For example, equivalent argument for y)					

G11	Scheme	Marks	AOs	Pearson Progression Step and Progress descriptor
a	Differentiate r w.r.t. time	M1	1.1a	8th
	$\mathbf{v} = \begin{pmatrix} -2\sin 2t \\ 2\cos 2t \end{pmatrix}$	A1	1.1b	Solve general kinematics problems using calculus of vectors.
	$\mathbf{a} = \begin{pmatrix} -4\cos 2t \\ -4\sin 2t \end{pmatrix}$	A1	1.1b	
		(3)		
b	$\mathbf{a} = -4 \begin{pmatrix} \cos 2t \\ \sin 2t \end{pmatrix} = -4\mathbf{r}$	B1	2.2a	8th Solve general kinematics problems in a range of contexts using vectors.
		(1)		
c	velocity acceleration			8th Solve general kinematics problems in a range of contexts using vectors.
	Diagram of circular orbit with velocity tangent to circle and acceleration pointing towards centre. Velocity must be in	B1	2.5	
	vertical direction.	B1	2.5	
		(2)		

(6 marks)

Notes

c

B1 for correct velocity direction

B1 for correct acceleration direction